




REV.	DESCRIPTION	DRAWN	DATE
1	INITIAL RELEASE	FROS	2020/06/10

SPECIFICATION:



1. Current Rating: 2A/ 5A per pin (see P2. table)
2. Contact Resistance: 10mΩ
3. Insulation Resistance: 100MΩ
4. Dielectric Withstanding Voltage: 500VAC
5. Durability: 1000 Cycle
6. Operating temperature range: -40°C~+85°C
7. Storage temperature range: -40°C~+85°C
8. Water Proof: IP67




Body



Assembly View



Cable overmolding, bayonet lock, female gender female pin, solder bucket



Lock nut Oring

Accessories






5	GLUE	EPOXY	
4	ORING	Silicone, Gray	
3	LOCK NUT	PA66, UL94V-0, Black	
2	CONTACT	Brass, 1u' Min. Gold Plating over Nickel	
1	HOUSING	PA66, UL94V-0, Black	
NO. PART NAME		DESCRIPTION	
UNLESS OTHERWISE SPECIFIED TOLERANCE			
UNIT:	DECIMAL	LINEAR	ANGLES
mm	X.	±0.50	±5°
	X.X	±0.25	±3°
	X.XX	±0.12	±1°
DRAWN		Fros	2020/06/10
CHECKED		Tim	2020/06/10
APPROVED		Ken	2020/06/10
SCALE		1/1	SHEET 1/2
SIZE		A4	
DRAWN NAME:		A Size Connector, Overmolding Cable Lock Bayonet, F Skt F Solder Pin	
PRODUCT NO.		see page 2 table	
FILE NAME		227A-MFF0_B_1	




www.attend.com.tw



REV.	DESCRIPTION	DRAWN	DATE
	SEE SHEET ONE		

TABLE: Pin Count/ Pin Assignment/ Current Rating/ Part Number



Part Number	227A-02F02	227A-03F02	227A-04F02	227A-05F02	227A-06F02
Pin Assignment					
Pin Count	2Pin	3Pin	4Pin	5Pin	6Pin
Current Rating	5A	5A	2A	2A	2A



Drawing Number: 227A-MFF0
 Description: A size connector, overmolding cable lock bayonet, female socket female pin, solder bucket


UNLESS OTHERWISE SPECIFIED TOLERANCE				 ATTEND www.attend.com.tw	
UNIT:	DECIMAL	LINEAR	ANGLES		
mm	X.	±0.50	±5°		
	X.X	±0.25	±3°		
	X.XX	±0.12	±1°		
DRAWN	Fros	2020/06/10	DRAWN NAME: A Size Connector, Overmolding Cable Lock Bayonet, F Skt F Solder Pin		
CHECKED	Tim	2020/06/10	PRODUCT NO. see table		
APPROVED	Ken	2020/06/10	SCALE	SHEET	SIZE
	1/1	2/2	A4	FILE NAME	227A-MFF0_B_1

REV.	DESCRIPTION	DRAWN	DATE
1	INITIAL RELEASE	FROS	2020/06/10



Application	Ball no.	Drawing Number	Gender		Matchable drawing numbers			
			Conn. type	Pin type	1	2	3	4
Panel Fixed	①	227A-DMMO	Male	Male	227A-MFFO	227A-AFFO	227A-0001	
	②	227A-SMMO			③	④	⑦	
Cable	③	227A-MFFO	Female	Female	227A-DMMO	227A-SMMO	227A-MMMO	227A-AMMO
	④	227A-AFFO			①	②	⑤	⑥
	⑤	227A-MMMO	Male	Male	227A-MFFO	227A-AFFO	227A-0001	
	⑥	227A-AMMO			③	④	⑦	
Accessories	⑦	227A-0001	Female		①	②	⑤	⑥

UNLESS OTHERWISE SPECIFIED TOLERANCE			
UNIT:	DECIMAL	LINEAR	ANGLES
mm	X.	±0.50	±5°
	X.X	±0.25	±3°
	X.XX	±0.12	±1°
DRAWN	Fros	2020/06/10	
CHECKED	Tim	2020/06/10	
APPROVED	Ken	2020/06/10	
SCALE	1/2	SHEET	1/1
		SIZE	A4


ATTEND
www.attend.com.tw
 DRAWN NAME:
 A Size Connector, Application Drawing
 PRODUCT NO.
 FILE NAME: 227A-Series_B_1