

號碼(No.): CE/2017/22561

日期(Date): 2017/02/17

**Test Report** 

CALTRON DEVICES LTD. 16A, BLOCK 1, 152–160 TAI LIN PAI ROAD, HONG KONG.

以下測試樣品係由申請廠商所提供 behalf of the applicant as)	供及確認 (The following sample(s) was/were submitted and identified by/on :
送樣廠商(Sample Submitted By) 樣品名稱(Sample Description) 收件日期(Sample Receiving Date) 測試期間(Testing Period)	: CALTRON DEVICES LTD. : CRYSTAL & OSCILLATOR & SAW FILTER & RESONATOR : 2017/02/10 : 2017/02/10 TO 2017/02/17
測試需求(Test Requested):	依據客戶指定,進行鎘、鉛、汞、六價鉻、多溴聯苯、多溴聯苯醚測試. (As specified by client, to test Cadmium, Lead, Mercury, Cr(VI), PBBs, PBDEs contents in the submitted sample.)
測試方法(Test Method) :	請見下一頁 (Please refer to next pages).
測試結果(Test Results) :	請見下一頁 (Please refer to next pages).



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="http://www.sgs.com/en/Terms-and-Conditions.aspx">http://www.sgs.com/en/Terms-and-Conditions.aspx</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="http://www.sgs.com/en/Terms-and-Conditions/Terms-an



號碼(No.): CE/2017/22561

日期(Date): 2017/02/17

**Test Report** 

CALTRON DEVICES LTD. 16A, BLOCK 1, 152-160 TAI LIN PAI ROAD, HONG KONG.

### <u> 測試結果(Test Results)</u>

測試部位(PART NAME)No.1 : 整體混測 (MIXED ALL PARTS)

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
鎘 / Cadmium (Cd)	mg/kg	參考IEC 62321-5 (2013), 以感應耦合電漿 原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.
鉛 / Lead (Pb)	mg/kg	參考IEC 62321-5 (2013), 以感應耦合電漿 原子發射光譜儀檢測. / With reference to IEC 62321-5 (2013) and performed by ICP-AES.	2	n. d.
汞 / Mercury (Hg)	mg/kg	参考IEC 62321-4 (2013)以感應耦合電漿原 子發射光譜儀檢測. / With reference to IEC 62321-4 (2013) and performed by ICP-AES.	2	n. d.
六價鉻 / Hexavalent Chromium Cr(VI)	mg/kg	参考IEC 62321 (2008), 以UV-VIS檢測. / With reference to IEC 62321 (2008) and performed by UV-VIS.	2	n. d.
多溴聯苯總和 / Sum of PBBs	mg/kg		_	n. d.
ー溴聯苯 / Monobromobiphenyl	mg/kg		5	n. d.
二溴聯苯 / Dibromobiphenyl	mg/kg		5	n. d.
三溴聯苯 / Tribromobiphenyl	mg/kg		5	n. d.
四溴聯苯 / Tetrabromobiphenyl	mg/kg	參考IEC 62321-6 (2015),以氣相層析/質	5	n. d.
五溴聯苯 / Pentabromobiphenyl	mg/kg	譜儀檢測. / With reference to IEC	5	n. d.
六溴聯苯 / Hexabromobiphenyl	mg/kg	62321-6 (2015) and performed by GC/MS.	5	n. d.
七溴聯苯 / Heptabromobiphenyl	mg/kg		5	n. d.
八溴聯苯 / Octabromobiphenyl	mg/kg		5	n. d.
九溴聯苯 / Nonabromobiphenyl	mg/kg		5	n. d.
十溴聯苯 / Decabromobiphenyl	mg/kg		5	n. d.



號碼(No.): CE/2017/22561

日期(Date): 2017/02/17

## **Test Report**

CALTRON DEVICES LTD.

16A, BLOCK 1, 152-160 TAI LIN PAI ROAD, HONG KONG.

測試項目 (Test Items)	單位 (Unit)	測試方法 (Method)	方法偵測 極限值 (MDL)	結果 (Result) No.1
多溴聯苯醚總和 / Sum of PBDEs	mg/kg		-	n. d.
一溴聯苯醚 / Monobromodiphenyl ether	mg/kg		5	n. d.
二溴聯苯醚 / Dibromodiphenyl ether	mg/kg		5	n. d.
三溴聯苯醚 / Tribromodiphenyl ether	Tribromodiphenyl ether mg/kg	5	n. d.	
四溴聯苯醚 / Tetrabromodiphenyl ether	mg/kg	参考IEC 62321-6 (2015),以氣相層析/質 譜儀檢測./ With reference to IEC 62321-6 (2015) and performed by GC/MS.	5	n. d.
五溴聯苯醚 / Pentabromodiphenyl ether 六溴聯苯醚 / Hexabromodiphenyl ether 七溴聯苯醚 / Heptabromodiphenyl ether	mg/kg		5	n. d.
	mg/kg		5	n. d.
	mg/kg		5	n. d.
八溴聯苯醚 / Octabromodiphenyl ether	/ Octabromodiphenyl ether mg/kg	5	n. d.	
九溴聯苯醚 / Nonabromodiphenyl ether	mg/kg		5	n. d.
十溴聯苯醚 / Decabromodiphenyl ether	mg/kg		5	n. d.

### 備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. n.d. = Not Detected (未檢出)
- 3. MDL = Method Detection Limit (方法偵測極限值)
- 4. "-" = Not Regulated (無規格值)
- 5. 樣品的測試是基於申請人要求混合測試,報告中的混合測試結果不代表其中個別單一材質的含量. (The samples was/were analyzed on behalf of the applicant as mixing sample in one testing. The above results was/were only given as the informality value.)



# **測試報告** <sub>號碼(No.):</sub>

號碼(No.): CE/2017/22561


日期(Date): 2017/02/17

CALTRON DEVICES LTD.

16A, BLOCK 1, 152-160 TAI LIN PAI ROAD, HONG KONG.

根據以下的流程圖之條件,樣品已完全溶解。(六價鉻測試方法除外)

These samples were dissolved totally by pre-conditioning method according to below flow chart. ( $Cr^{6+}$  test method excluded)



Note\*\* (For IEC 62321)

- (1) 針對非金屬材料加入鹼性消化液,加熱至 90~95℃萃取. / For non-metallic material, add alkaline digestion reagent and heat to 90~95℃.
- (2) 針對金屬材料加入純水,加熱至沸騰萃取. / For metallic material, add pure water and heat to boiling.



號碼(No.): CE/2017/22561

日期(Date): 2017/02/17

頁數(Page): 5 of 6


**Test Report** 

CALTRON DEVICES LTD. 16A, BLOCK 1, 152–160 TAI LIN PAI ROAD, HONG KONG.

### <u>多溴聯苯/多溴聯苯醚分析流程圖 / Analytical flow chart - PBB/PBDE</u>

- 測試人員:涂雅苓 / Technician: Yaling Tu
- 測試負責人:張啟興 / Supervisor: Troy Chang

初次測試程序 / First testing process →→ 選擇性篩檢程序 / Optional screen process →→→ 確認程序 / Confirmation process → - - →





號碼(No.) : CE/2017/22561

日期(Date): 2017/02/17

頁數(Page): 6 of 6

## **Test Report**

CALTRON DEVICES LTD. 16A, BLOCK 1, 152-160 TAI LIN PAI ROAD, HONG KONG.

> \* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. \* (The tested sample / part is marked by an arrow if it's shown on the photo.)



## 

\*\* 報告結尾 (End of Report) \*\*