





Page 1 of 4

CYG WAYON CIRCUIT PROTECTION CO., LTD Applicant 1001 SHIWAN 7TH ROAD, SHANGHAI, 201207 P.R. CHINA Address

The following sample(s) a behalf of the client	and sample information was/were submitted and identified by/on the
Sample Name	Lead
Sample Received Date	Nov. 20, 2017
Testing Period	Nov. 20, 2017 to Nov. 28, 2017
Test Requested	As specified by client, to test Lead (Pb), Cadmium (Cd), Mercury (Hg), Hexavalent Chromium(Cr(VI)), Antimony(Sb), Beryllium(Be) in the submitted sample(s).

Test Method

Test Item(s)	Test Method	Measured Equipment(s)
Lead (Pb)	IEC 62321-5:2013 Ed.1.0	ICP-OES
Cadmium (Cd)	IEC 62321-5:2013 Ed.1.0	ICP-OES
Mercury (Hg)	IEC 62321-4:2013 Ed.1.0	ICP-OES
Hexavalent Chromium(Cr(VI))	IEC 62321-7-1:2015	UV-Vis
Antimony(Sb)	Refer to US EPA 3050B:1996 & US EPA 6010D:2014	ICP-OES
Beryllium(Be)	Refer to US EPA 3050B:1996 & US EPA 6010D:2014	ICP-OES


Test Result(s)

by

专用

Please refer to the following page(s).





Su Hongwei Senior Laboratory Manager Centre Testing International Pinbiao(Shanghai) Co., Ltd.

Reviewed by

ao

Date

Nov. 28, 2017

No. R131279013 No.1996, Xinjinqiao Road, Pudong New District, Shanghai, China







Test Report





Tested Item(s)		Result	MDL
Lead (Pb)		15 mg/kg	2 mg/kg
Cadmium (Cd)		N.D.	2 mg/kg
Mercury (Hg)		N.D.	2 mg/kg
Hexavalent Chromium(Cr(VI))		N.D. ▼	0.10 µg/cm ² (LOQ)
Tested Item(s)		Result	MDL
Antimony(Sb)	(C)	N.D.	5 mg/kg
Beryllium(Be)		N.D.	10 mg/kg

Tested Sample/Part Description

Metal with silvery plating

Remark:

The sample(s) had been dissolved totally tested for Lead, Cadmium, Mercury,Antimony,Beryllium. -MDL = Method Detection Limit

-N.D. = Not Detected (<MDL or LOQ)

-mg/kg = ppm = parts per million

-LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is $0.10 \ \mu g/cm^2$

- The sample is negative for Cr(VI) – The Cr(VI) concentration is below 0.10 µg/cm².

The coating is considered a non-Cr(VI) based coating.





